

# WHITE PAPER



## Does Your MCM Actually Meet the Performance Requirements of the Code?

Metal Composite Material (MCM) suppliers, fabricators, and installers must provide assurances that both the MCM and MCM assemblies will meet the requirements defined in the applicable building code. Typically, these requirements are defined in the code through reference to established testing in the areas of structural, fire, energy, and environmental (air and water penetration) performance. The primary question is how can a designer be assured that the MCM supplied to the project meet these performance requirements?

*Three common methods have been used to address this issue for many years.* While each method can accomplish the task, each has its drawbacks. These methods include:

- Provide product and system specific test reports,
- Provide listing/labeling reports administered by an independent third party service,
- Provide code official recognized Evaluation reports.

Approach to Approval	Product Assurance	Code Assurance
Supplying Test Reports		
Third-Party Listing	X	
Building Code Evaluation	X	X

## Specific Test Reports

Supplying test reports to address the code defined performance requirements *may* assure the designer that the product or assembly was tested in a recognized laboratory and provides the required result. Too often, designers find that the test report provided is based on MCM that has not been manufactured in a certified and audited manufacturing process. In other circumstances, the supplier is providing test reports or certification that does not show compliance with the code. (Stating that a product is ISO 9000 does not show that the fire or structural performance of the MCM meets the building code.)

Qualifying test reports are ones where the manufactured product or assembly can be traced back to an audited program that assures the “product tested is a reasonable indicator of the product supplied in the field.” Only with test reports from an accredited lab, performed on MCM supplied from a manufacturer, with a recognized independent third party manufacturing process, can the designer or building official judge compliance with the code. This method of product compliance validation presents at least two major challenges.

- 1) The designer must be familiar with both how the product is being used and the requirements of the applicable code. The designer must not only understand the particular product requirements, but must also understand how that product interacts with the other assemblies used in construction. For instance, the impact on fire from combining a cladding panel with styrene insulation will be quite different than the performance of the cladding without the insulation.

2) As stated previously, the test report identifies the performance of the MCM subjected to testing. ***The test report does not provide any assurance that the delivered MCM product is produced at the same location, using the same production process/raw materials as the tested product.*** If there have been any changes in the manufacturing site or process, the test report may not truly reflect the performance of the products being provided.

## Listing/Labeling Reports

Specific test listing/labeling reports from a third-party quality assurance group can help eliminate concern about any difference between the tested and regularly produced/fabricated products. To obtain a specific listing/labeling report, the manufacturer retains an independent certified quality assurance group to inspect and document both the manufacturing process and the raw materials being used. Production is witnessed and the quality program is developed and documented. Finally, sample MCM is identified for testing.

This sample MCM is tested and a listing/labeling report is issued identifying the material performance capabilities. The report gives the manufacturer the right to apply a specific product label from the third-party quality assurance group that identifies the MCM performance in relation to code requirements. The third-party quality assurance group performs periodic audits at the production facility to ensure the process and raw materials remain in accordance with the quality program requirements. The inspection and labeling program assures the designer that the product being delivered to the project meets the same performance criteria as the product that was tested.

***One potential weakness in the Listing/Labeling Report method is that the MCM used in an assembly may be listed and labeled; however the assembly itself may not be covered by that listing.*** In this case, it is important that the designer understand the assembly components and the code requirements so that a final check for

compliance can be made at the right stage in the construction process. There are instances where overall assemblies may be listed and labeled as such, however, often field installation issues preclude an assembly listing.

## Code Evaluation Reports

Code Evaluation Reports evaluate product compliance and provide product use information to ensure that assemblies are tested and installed to meet the performance requirements of the code. To obtain a code evaluation report, the manufacturer must meet all of the same requirements as the listing/labeling report and then submit the information to an agency accredited by the International Accreditation Service (IAS) or one of their partners in compliance with ISO/IEC Standard 17020. This group reviews the product information, specific test reports, product use information, and the code requirements that apply. They determine how the product/assembly fits within the structure of the code. With the materials identified and the requirements for code compliance defined, a detailed report can be issued documenting “acceptable” product use.

***The Code Evaluation Report approach provides the designer with the most complete assurance possible that the product tested, often both as a material and an assembly, meets the requirements of the building code.*** If there are any specific limitations, the evaluation report would address those items specifically in the report.

## Summary

While compliance with the performance requirements of the code can be shown using a number of different methods, a code evaluation report, is probably the most complete way for the designer to be assured that the MCM and MCM assemblies intended for use in their project have been tested and will meet the performance requirements for the project.

Founded in 1983, the Metal Construction Association brings together the diverse metal construction industry for the purpose of expanding the use of all metals used in construction. MCA promotes the benefits of metal in construction through:

- Technical guidance
- Product certification
- Educational and awareness programs
- Advocating for the interests of our industry
- Recognition of industry-achievement awards
- Monitoring of industry issues, such as codes and standards
- Research to develop improved metal construction products
- Promotional and marketing support for the metal construction industry
- Publications to promote use of metal wall and roof products in construction

For more information, please visit the MCA Web site at [www.metalconstruction.org](http://www.metalconstruction.org)

**Copyright © 2017 Metal Construction Association.  
All rights reserved.**

No part of this publication may be reproduced in any form or by any means, including photocopying, or utilized by any information storage or retrieval system without permission of the copyright owner.

This document is for general information only. The document is designed to delineate areas requiring consideration. Information contained in the document should not be used without first securing competent advice with respect to its suitability for any given application. MCA does not assume responsibility and disclaims any representation or warranty, express or implied, that such information is suitable for any general or particular use. Anyone making use of the document assumes all liability resulting from such use.

The existence of the document does not in any respect preclude a member or nonmember of MCA from manufacturing, selling, or specifying products not conforming to the document, nor does the existence of an MCA document preclude its voluntary use by persons

other than MCA members. The document does not purport to address all safety problems associated with its use or all applicable regulatory requirements. It is the responsibility of the user of the guideline to establish appropriate safety and health practices and to determine the applicability of regulatory limitations before use of the document.

The Metal Construction Association reserves the right to change, revise, add to, or delete any data contained in the document without prior notice.

It is the responsibility of the end user to verify the applicability of this information with the local building and fire officials.